

Natrelle® ConfidencePlus® Warranty Program Features:

- **FREE** upgrade to *ConfidencePlus*® Premier coverage with *Natrelle*® Gel
- **Lifetime** product replacement
- **Financial** assistance of up to \$3500 in the event of implant rupture for *Natrelle*® Gel
- **FREE** contralateral implant replacement with *Natrelle*® Gel and Saline implants

For *Natrelle*® Gel patients, please keep this card along with your patient device ID cards obtained after surgery.

Events not covered

ConfidencePlus® warranties do not apply to the following:

- Removal for capsular contracture
- Dissatisfaction with implant size or aesthetics
- Adverse reactions other than implant deflation or rupture
- Loss of product integrity caused by cosmetic revision surgery
- Loss of product integrity caused by open or closed capsulotomy
- Other manufacturers' products
- Financial reimbursement for a non-*Natrelle*® style replacement product in lieu of a *Natrelle*® style replacement product

To submit a claim

The surgeon must contact Allergan's Product Surveillance Team at 1-800-624-4261 prior to replacement surgery.

The surgeon is required to return the explanted, disinfected *Natrelle*® breast implant(s) within 3 months of the date of explantation.

Financial assistance will be issued upon receipt and verification of the explanted product(s), the Returned Goods Authorization (RGA), and the patient's general release.

Enrollment

Enrollment for *Natrelle*® Gel patients is automatic and free. You do not need to do anything.

For *Natrelle*® Saline patients, *ConfidencePlus*® standard coverage is automatic and free. However, enrollment in the *ConfidencePlus*® Premier warranty costs \$200 and must be completed within 45 days of surgery by submitting the completed enrollment form by mail or online at www.cppwarranty.com.

For full warranty terms and conditions, visit www.cppwarranty.com/termsconditions.aspx or call 1-800-624-4261.

Please see Important Safety Information on inside middle panel.

IMPORTANT SAFETY INFORMATION (continued) What else should I consider (WARNINGS)? (continued)

surgery and then 2 years after can detect ruptures. Symptoms of a ruptured implant may be hard knots or lumps surrounding the implant or in the armpit, change or loss of size or shape of the breast or implant, pain, tingling, swelling, numbness, burning or hardening. Talk to your doctor about removing ruptured implants. Inform any other doctor if you have implants.

What types of conditions require more study (PRECAUTIONS)?

Caution: Notify your doctor if you have any of the following conditions, as the risks of breast implant surgery may be higher: autoimmune diseases, a weakened immune system, planned radiation therapy to the breast or planned chemotherapy following breast implant placement, conditions/medications that interfere with wound healing and blood clotting, reduced blood supply to breast tissue or a clinical diagnosis of depression, other mental health disorders, body dysmorphic disorder and eating disorders. These disorders should be resolved or stabilized prior to surgery.

What are some complications with breast implants (COMPLICATIONS)?

Key complications are reoperation, implant removal with or without replacement, implant rupture with silicone-filled implants, implant deflation with saline-filled implants, and severe capsular contracture (severe scar tissue around the implant). Other complications include asymmetry, nipple/breast/skin sensation changes, scarring or wrinkling/rippling. Talk to your doctor about other complications.

Talk to your doctor. For more information, see the Patient Brochures at www.allergan.com/labeling/usa.htm. If you have questions or to report a problem with *Natrelle*®, please call Allergan Product Surveillance at 1-800-624-4261.

Natrelle® Breast Implants are available by prescription only.

Natrelle.com
www.cppwarranty.com

Natrelle® ConfidencePlus® Warranty Program



Actual patient:
Cassie
Natrelle® Style 15

FREE upgrade to *ConfidencePlus*® Premier coverage for *Natrelle*® Gel.

Please see inside for Indications and Important Safety Information.



©2014 Allergan, Inc. ® marks owned by Allergan, Inc. *American Express* is a registered service mark of American Express Company. *MasterCard* is a registered service mark of MasterCard International Incorporated. *Visa* is a registered service mark of Visa International Service Association. www.natrelle.com APCXXX14 142144

Natrelle® ConfidencePlus® warranty program

With Natrelle®, you're choosing more than an implant, you're choosing a partner. We have the confidence to offer you one of the best warranty programs in the industry.

Products covered

ConfidencePlus® warranties apply to all FDA-approved Natrelle® breast implants, provided the products have been used:

- As intended by appropriately qualified and licensed surgeons, in accordance with current and accepted plastic surgery techniques
- In accordance with the current Natrelle® Breast Implant Directions for Use, found at www.allergan.com/labeling/usa.htm

Events covered

ConfidencePlus® warranties apply only to cases of loss of shell integrity, resulting in implant rupture or deflation that requires surgical intervention.

Special considerations

Each Natrelle® breast implant is covered individually. So, in the case of a rupture or deflation, you may choose to replace both implants or only the damaged implant. Coverage of the opposite (contralateral) implant will continue for the remaining life of the warranty.

For Natrelle® Saline patients with a deflation, at the time of replacement, you may pay the additional cost difference to upgrade to gel implants.

After any replacement, ConfidencePlus® Premier coverage is optional and available for purchase at the \$200 fee.

Who may get breast implants (INDICATIONS)?

Natrelle® Breast Implants are indicated for women for the following:

- **Breast augmentation for women at least 22 years old for silicone-filled implants.**
- **Breast augmentation for women at least 18 years old for saline-filled implants.**

Breast augmentation includes primary breast augmentation to increase breast size, as well as revision surgery to correct or improve the result of a primary breast augmentation surgery.

Please see additional Indications and Important Safety Information at right.

Warranty summary

	Saline		Gel
	ConfidencePlus®		
	Standard	Premier	Premier
Cost	Free	\$200	Free
Enrollment	Automatic	Must enroll within 45 days of surgery	Automatic
Term	10 years	10 years	10 years
Financial assistance (for surgery costs)	\$0	Up to \$2400 during term	Up to \$3500 during term
Implant (for deflation or rupture)	Lifetime replacement	Lifetime replacement	Lifetime replacement
Contralateral implant*	Lifetime replacement	Lifetime replacement	Lifetime replacement
Surgery date	Coverage valid for surgery on/after July 1, 2014.		

*Opposite a ruptured or deflated implant.

Who may get breast implants (INDICATIONS)? (continued)

- **Breast reconstruction.** Breast reconstruction includes primary reconstruction to replace breast tissue that has been removed due to cancer or trauma or that has failed to develop properly due to a severe breast abnormality. Breast reconstruction also includes revision surgery to correct or improve the result of a primary breast reconstruction surgery.

IMPORTANT SAFETY INFORMATION

Who should NOT get breast implants (CONTRAINDICATIONS)?

Breast implant surgery should not be performed in women with active infection anywhere in their body, with existing cancer or pre-cancer of their breast who have not received adequate treatment for those conditions, and women who are currently pregnant or nursing.

What else should I consider (WARNINGS)?

Breast implants are not lifetime devices or necessarily a one-time surgery. You may experience unacceptable dimpling, puckering, wrinkling, or other cosmetic changes of the breast, which may be permanent. Breast implants may affect your ability to produce milk for breastfeeding. Silicone-filled implants may rupture without symptoms. MRI examinations 3 years after

Please see additional Important Safety Information on back cover.

For patients who choose **Natrelle® Saline Breast Implants** and choose the ConfidencePlus® Premier warranty: Enrollment fee is \$200 and must be received or postmarked within **45 days** of the qualifying surgery.

MAIL payment and completed form to:

Allergan Warranty Processing
11009 Metric Blvd, Austin, TX 78758

Or **FAX** the completed form to: **1-888-647-4029**

Or visit **www.cppwarranty.com**

DO NOT send a personal check. Enrollment forms that include a personal check **WILL NOT** be processed.

To pay by credit card:

Credit card: Visa® MasterCard® American Express® (Allergan will appear on your credit card statement.)

Credit card number _____

Expiration date _____

Cardholder name (if other than patient) _____

Cardholder signature _____

To pay by certified check or money order: Please make payable to Allergan ConfidencePlus® Premier warranty.

Name _____

Address _____

City _____ State _____ Zip _____

Date of birth _____

Home phone _____

Implanting surgeon name _____

Surgeon telephone _____

Date of implant surgery _____

Implant serial number(s):

Right side _____ Left side _____

(The serial number follows the letters SN on your device ID card provided by your surgeon.)

You will receive a certificate verifying your enrollment in the ConfidencePlus® Premier warranty. Please allow 8 to 10 weeks for processing.

Note: Enrollment in the ConfidencePlus® Premier warranty may be voided if the information provided is incorrect. The ConfidencePlus® Premier warranty is nonrefundable and nontransferrable.

Natrelle

ALLERGAN



Natrelle[®] Gel Breast Implant Warranty Card

If you elect to have surgery with *Natrelle[®]* Gel breast implants on/after June 1, 2009, you are automatically enrolled in this limited-time warranty.

See complete terms and conditions at
www.cppwarranty.com/termsconditions.aspx

Natrelle[®] Gel Breast Implant Warranty Card

Name _____

Surgeon's name _____

Date of implant surgery _____

Implant serial numbers:

Left _____

Right _____

Reference/Catalog numbers:

Left _____

Right _____

©2014 Allergan, Inc.

®marks owned by Allergan, Inc.

APCXXX14 142144



ConfidencePlus® Warranty Matrix

Implantation Date	Coverage	Saline-Filled Breast Implants		Silicone-Filled Breast Implants		410 Highly Cohesive Anatomically Shaped Silicone-Filled Breast Implants	
		Standard	Premier	Standard	Premier	Standard	Premier
July 1, 2014– Present	Cost of Coverage	Free	\$200	N/A	Free	N/A	Free
	Term of Coverage	10 Years	10 Years	N/A	10 Years	N/A	10 Years
	Financial Assistance (for Surgery Costs)	\$0	Up to \$2,400	N/A	Up to \$3,500	N/A	Up to \$3,500
	Contralateral Implant*	Lifetime Replacement	Lifetime Replacement	N/A	Lifetime Replacement	N/A	Lifetime Replacement
	Implant (for Deflation or Rupture)	Lifetime Replacement	Lifetime Replacement	N/A	Lifetime Replacement	N/A	Lifetime Replacement
February 20, 2013– June 30, 2014	Cost of Coverage	Free	\$100	N/A	Free	N/A	Free
	Term of Coverage	10 Years	10 Years	N/A	10 Years	N/A	10 Years
	Financial Assistance (for Surgery Costs)	Up to \$1,200	Up to \$2,400	N/A	Up to \$3,500	N/A	Up to \$3,500
	Contralateral Implant*	Lifetime Replacement	Lifetime Replacement	N/A	Lifetime Replacement	N/A	Lifetime Replacement
	Implant (for Deflation or Rupture)	Lifetime Replacement	Lifetime Replacement	N/A	Lifetime Replacement	N/A	Lifetime Replacement
June 1, 2009– February 19, 2013	Cost of Coverage	Free	\$100	N/A	Free	Free	\$100
	Term of Coverage	10 Years	10 Years	N/A	10 Years	10 Years	10 Years
	Financial Assistance (for Surgery Costs)	Up to \$1,200	Up to \$2,400	N/A	Up to \$3,500	Up to \$1,200	Up to \$2,400
	Contralateral Implant*	Lifetime Replacement	Lifetime Replacement	N/A	Lifetime Replacement	Lifetime Replacement	Lifetime Replacement
	Implant (for Deflation or Rupture)	Lifetime Replacement	Lifetime Replacement	N/A	Lifetime Replacement	Lifetime Replacement	Lifetime Replacement

*Opposite a ruptured or deflated implant.

INDICATIONS

Natrella® Breast Implants are indicated for women for the following:

- **Breast augmentation for women at least 22 years old for silicone-filled implants.**
Breast augmentation for women at least 18 years old for saline-filled implants.

Breast augmentation includes primary breast augmentation to increase breast size, as well as revision surgery to correct or improve the result of a primary breast augmentation surgery.

- **Breast reconstruction.** Breast reconstruction includes primary reconstruction to replace breast tissue that has been removed due to cancer or trauma or that has failed to develop properly due to a severe breast abnormality. Breast reconstruction also includes revision surgery to correct or improve the result of a primary breast reconstruction surgery.

IMPORTANT SAFETY INFORMATION

CONTRAINDICATIONS

Breast implant surgery should not be performed in:

- Women with active infection anywhere in their body
- Women with existing cancer or pre-cancer of their breast who have not received adequate treatment for those conditions
- Women who are currently pregnant or nursing

Please see additional Important Safety Information on next pages.



ConfidencePlus® Warranty Matrix

Implantation Date	Coverage	Saline-Filled Breast Implants		Silicone-Filled Breast Implants		410 Highly Cohesive Anatomically Shaped Silicone-Filled Breast Implants	
		Standard	Premier	Standard	Premier	Standard	Premier
November 20, 2006 – May 31, 2009	Cost of Coverage	Free	\$100	N/A	Free	Free	\$100
	Term of Coverage	10 Years	10 Years	N/A	10 Years	10 Years	10 Years
	Financial Assistance (for Surgery Costs)	Up to \$1,200	Up to \$2,400	N/A	Up to \$2,400	Up to \$1200	Up to \$2,400
	Contralateral Implant*	Lifetime Replacement Only Style 163	Lifetime Replacement	N/A	Lifetime Replacement	N/A	Lifetime Replacement
	Implant (for Deflation or Rupture)	Lifetime Replacement	Lifetime Replacement	N/A	Lifetime Replacement	Lifetime Replacement	Lifetime Replacement
April 1, 2002 – November 19, 2006	Cost of Coverage	Free	\$100	Free	\$100	Free	\$100
	Term of Coverage	10 Years	10 Years	10 Years	10 Years	10 Years	10 Years
	Financial Assistance (for Surgery Costs)	Up to \$1,200	Up to \$2,400	Up to \$1,200	Up to \$2,400	Up to \$1,200	Up to \$2,400
	Contralateral Implant*	Lifetime Replacement Only Style 163	Lifetime Replacement	N/A	Lifetime Replacement	N/A	Lifetime Replacement
	Implant (for Deflation or Rupture)	Lifetime Replacement	Lifetime Replacement	Lifetime Replacement	Lifetime Replacement	Lifetime Replacement	Lifetime Replacement

*Opposite a ruptured or deflated implant.

IMPORTANT SAFETY INFORMATION (continued)

WARNINGS

AVOID DAMAGE DURING SURGERY

- Care should be taken to avoid the use of excessive force and to minimize handling of the implant during surgical insertion.
- Care should be taken when using surgical instruments in proximity with the breast implant, including scalpel, sutures, and dissection instrumentation.
- Do not treat capsular contracture by closed capsulotomy or forceful external compression, which will likely result in implant damage, rupture, folds, and/or hematoma.
- Use care in subsequent procedures such as open capsulotomy, breast pocket revision, hematoma/seroma aspiration, and biopsy/lumpectomy to avoid damage to the implant.

- Do not place drugs or substances inside saline-filled implants other than sterile saline for injection. Do not inject through the implant shell.
- Do not contact the implant with disposable, capacitor-type cautery devices.
- Do not alter the implants or attempt to repair or insert a damaged prosthesis.
- Do not immerse the implant in povidone-iodine solution. If povidone-iodine is used in the pocket, ensure that it is rinsed thoroughly so no residual solution remains in the pocket.
- Do not reuse or resterilize any product that has been previously implanted. Breast implants are intended for single use only.
- Do not place more than one implant per breast pocket.
- Do not use the periumbilical approach to place the implant.
- Do not use microwave diathermy in patients with breast implants. Microwave diathermy has been reported to cause tissue necrosis, skin erosion, and implant extrusion.

Please see additional Important Safety Information on next page.



ConfidencePlus® Warranty Matrix

Implantation Date	Coverage	Saline-Filled Breast Implants		Silicone-Filled Breast Implants		410 Highly Cohesive Anatomically Shaped Silicone-Filled Breast Implants	
		Standard	Premier	Standard	Premier	Standard	Premier
October 1, 1997 – March 31, 2002	Cost of Coverage	Free	N/A	Free	N/A	Free	N/A
	Term of Coverage	10 Years	N/A	10 Years	N/A	10 Years	N/A
	Financial Assistance (for Surgery Costs)	Up to \$1,200	N/A	Up to \$1,200	N/A	Up to \$1,200	N/A
	Contralateral Implant*	Lifetime Replacement Only Styles 60, 64, 163	N/A	N/A	N/A	N/A	N/A
	Implant (for Deflation or Rupture)	Lifetime Replacement	N/A	Lifetime Replacement	N/A	Lifetime Replacement	N/A
June 1, 1993[†] – September 30, 1997	Cost of Coverage	Free	N/A	N/A	N/A	N/A	N/A
	Term of Coverage	10 Years	N/A	N/A	N/A	N/A	N/A
	Financial Assistance (for Surgery Costs)	Up to \$1,200	N/A	N/A	N/A	N/A	N/A
	Contralateral Implant*	Lifetime Replacement Only Styles 60, 64, 163	N/A	N/A	N/A	N/A	N/A
	Implant (for Deflation or Rupture)	Lifetime Replacement	N/A	N/A	N/A	N/A	N/A

*Opposite a ruptured or deflated implant.

[†]Contact Product Surveillance at 800-624-4261 for implantation dates prior to June 1, 1993.

IMPORTANT SAFETY INFORMATION (continued)

PRECAUTIONS

Safety and effectiveness have not been established in patients with the following:

- Autoimmune diseases (e.g., lupus and scleroderma).
- A compromised immune system (for example, currently receiving immunosuppressive therapy).
- Planned chemotherapy following breast implant placement.
- Planned radiation therapy to the breast following breast implant placement.
- Conditions or medications that interfere with wound healing and blood clotting.
- Reduced blood supply to breast tissue.
- Clinical diagnosis of depression or other mental health disorders, including body dysmorphic disorder and eating disorders. Please discuss any history of mental health disorders prior to surgery. Patients with a diagnosis of depression, or other mental health disorders, should wait until resolution or stabilization of these conditions prior to undergoing breast implantation surgery.

ADVERSE EVENTS

Key adverse events are reoperation, implant removal with or without replacement, implant rupture with silicone-filled implants, implant deflation with saline-filled implants, and capsular contracture Baker Grade III/IV.

Other potential adverse events that may occur with breast implant surgery include: asymmetry, breast pain, breast/skin sensation changes, capsular calcification, delayed wound healing, hematoma, hypertrophic scarring/scarring, implant extrusion, implant malposition, implant palpability/visibility, infection, nipple complications, redness, seroma, swelling, tissue/skin necrosis, wrinkling/rippling.

For more information, see the full Directions for Use at www.allergan.com/labeling/usa.htm or call the Allergan Medical Information line at 1-800-433-8871.

To report a problem with *Natrelle*®, please call Allergan Product Surveillance at 1-800-624-4261.

Natrelle® Breast Implants are available by prescription only.

